

FEATURED PROJECT

Sweater Arm Warmers

SUPPLIES:

Long Sleeved Sweater – with ribbing on neck or bottom of sweater
1/8 yard of Fusible knit interfacing
Matching Dual Duty XP Thread
1/2 yard of 1" wide elastic

MEASURING:

Turn sweater inside out
Measure sleeve 13" from the cuff and mark on wrong side
Measure around arm, 1" down from elbow. This will be the length of your band.
Measure ribbing to be 2" wide using arm measurement (above) for length

CUTTING:

Cut interfacing into 1" strips. On wrong side, iron interfacing over sleeve marks and ribbing marks. Make sure the marks are still visible. This helps keep the sweater knit from unraveling.
Cut both sleeves on marks, and two ribbing pieces (measurement determined above)
Cut elastic into 2 strips that are 1" shorter than arm measurement

CONSTRUCTION:

1. Fold ribbing, right sides together and matching short ends, stitch.
2. Pin raw edges of sleeve piece and ribbing wrong sides together, stitch. Turn right side out.
3. Fold ribbing over to right side so that it makes a band. Stitch close to the edge leaving a 1" opening for elastic. Thread the elastic into the band. Stitch elastic together. Stitch the opening closed.
4. Measure down 2" from sleeve cuff. Use a seam ripper to carefully open a 1 1/2 " hole along each sleeve seam for your thumb. Reinforce the stitching on each side of the hole to prevent raveling.
5. Done!

Notes

Swatches

Special Thanks To

brother
at your side

Express yourself with **sulky**
Sewing Machine Thread, Sewing Machine Oil

Glover



Coats & Clark

VELCRO

**American
Sewing
Guild**

McCALL'S